



DocuPrint CP305 d / CM305 df A4 Colour Laser Printer Affordable efficiency for

small to medium businesses



Efficient performers for any office

Convenient efficiency and productivity is easy with the new DocuPrint C305 Series single and multifunction printers, two reliable, high-quality machines especially designed to meet the documentation needs of small to medium businesses. Affordably. Remarkably simple to use, the new DocuPrint C305 Series empowers any office with outstanding multifunction or print-only performance.



DocuPrint CM305 df

Compact printers that deliver big results

Though compact, the DocuPrint C305 Series nonetheless produces high-quality print results with ease.

Up to 23 beautiful prints per minute

Take the lead with a high printing speed of up to 23 ppm, whether for black or colour printing.


High 600 x 600 dpi resolution

Capture every detail in laser sharp 600 x 600 dpi quality that makes every print spectacular.

Crisp and clear colours

Advanced technologies in your DocuPrint C305 Series printer ensure brilliant colour output for images and graphics.

Natural Image Enhancement (NIE) corrects the contrast and colour balance of images such as digital photos before printing for ideal results.




3 Dimensional Accurate Colour Mapping intelligently ensures that your document is printed in

Text Photo Graphics

Direct Transfer

optimum colours.

Technology gives better registration to improve colour sharpness. A short paper path also provides better paper feed and handling.



More security for greater peace of mind

To protect sensitive information, the DocuPrint C305 Series encrypts data sent over networks using both SSL and Ipsec data encryption. An added line of digital defence is provided through IEEE 802.1x authentication.

For more security usage-wise, the control panel lock lets you limit user access via password protection, you can also use the IP Filter to limit printer access to registered IP addresses only.

In addition, with Secure Print and Secure Fax Receive, you can set password protection on prints and faxes*. This way, the DocuPrint C305 Series will only print the protected job when you key in the password, thereby keeping sensitive data safer.

*Available on DocuPrint CM305 df only

Easy on the budget and our planet

The DocuPrint C305 Series is not only affordable, it is also very environmentally-friendly. Using energy- and resource-saving innovations, it performs with a reduced carbon footprint, even as it takes your business to a higher level of efficiency.



Energy Star Qualified

Both the DocuPrint C305 Series multifunction and single function printers meet the stringent criteria for Energy Star Qualification. They efficiently perform

regular tasks and when not in use, automatically go into low power mode to save energy.

Duplex print setting

Set your printer to print double-sided by default to save natural resources as well as paper costs.



Single or multifunction – do everything easily

Whether it is just printing to copying, scanning or faxing, the DocuPrint C305 Series is one simple-to-use printer that gives you the necessary performance to efficiently fulfil multiple, day-to-day business operational tasks.

Print with high productivity

Print performance is supported by a 256MB standard memory for both the single and multifunction printers, and together with a fast processor speed of 400Mhz for the single function device and powerful 533Mhz processing for the multifunction device, quick 23 ppm printing of documents in colour or black-and-white is enabled. To maximise your print efficiency, an additional 250-sheet tray can be added to give you a larger paper capacity of up to 501 sheets, reducing the occurrence of reloads.

Copy with convenience


Whatever your copying needs may be, the DocuPrint CM305 df answers them. Easy enlargements or reductions from 25 % to 400 % are available at a touch of a button. There is also an automated ID Copy feature that lets you copy two sides of a small document onto the same side of an A4 page.

Scan with ease

High-quality scanning of up to 9,600 dpi is quick and fuss-free. Furthermore, added features make document flow much easier to manage. For example, you can scan an image directly to your USB storage device, an FTP server or a network folder; you could also email scans directly from the DocuPrint CM305 df.







Fax with confidence

On the DocuPrint CM305 df, a fax speed of 33.6kps as well as 200 speed dials means that it is always convenient and quick to send a fax message. For even more convenience, DirectFAX allows you to send a fax directly from your computer. Similarly, sending faxes to multiple recipients is simple with the group dial function.

DocuPrint CP305 d / CM305 df Configurations



DocuPrint CP305 d

- 23 pages per minute printing
- Paper capacity Up to 501 sheets
- Automatic 2-sided printing
- Print resolution of up to 2,400 dpi equivalent
- Memory capacity of 256MB and processor speed of 400MHz
- Network ready, USB 2.0



DocuPrint CM305 df


Same printing features as DocuPrint CP305 d plus Copy, Scan and Fax

- ID Copy feature
- Faster processor speed of 533MHz
- Scan to FTP / Email / SMB / USB storage device
- Embedded Fax (33.6Kbps) and PC DirectFAX

Efficient Management for better workflow

Efficiency is everything in the world of business. As your office productivity solution, the DocuPrint C305 Series is packed with features to help ensure your documentation runs smoothly.

- **USB 2.0 plug and play installation** helps you set up your printer in an instant, letting you fast-track business operations.
- **CentreWare IS** provides administrators with status reports and also sends email alerts on situations that will soon require attention, such as low toner levels. This creates greater efficiency.
- **Fuji Xerox Auditron** enables the setting of specific print usage settings for different registered users, making print management easier.



• USB Direct Scanning and Printing* means you can scan or print directly from a USB storage device without going through a computer for added convenience and time-savings.

- **Remote Printer Monitor** automatically displays printer and print job statuses on your computer, saving you the need to walk to the machine.
- **Run Black function** enables the DocuPrint C305 Series to continue printing your documents in monochrome when colour toners run out.



• **IPv6** compatibility eliminates the need to set up IP addresses, the DocuPrint C305 Series is ready for your office's use in moments.



- **Citrix** Presentation Server Support comes standard on the DocuPrint C305 Series, it connects with ease to Citrix networks for local and WAN printing.
- WSD (Web Services on Device) creates a seamless network plug and play experience on Windows operating systems.
- LDAP* (Lightweight Directory Access Protocol) enables easy access to the global address list for scan-to-email tasks.

*Only available on DocuPrint CM305 df

Specifications of DocuPrint CP305 d / CM305 df

| Print Function | DocuPrint CP305 d | DocuPrint CM305 df | |
|-----------------------|---|--|--|
| Print Speed | Up to 23 ppm for mono | Up to 23 ppm for monochrome and colour (A4) | |
| Print Resolution | 600 x 600 dp | i (multi-level) | |
| First-page-out-time | As fast as 15.5 seconds fo | r monochrome and colour | |
| Warm-up time | 20 seconds | | |
| Maximum Duty Cycle | 40,000 pa | ges/month | |
| Memory (Std / Max) | 256MB | 256MB / 768MB | |
| Processor | 400MHz | 533MHz | |
| PDL | PCL6, PCL5, Adobe PostScript 3, | PCL6, PCL5, Adobe PostScript 3, | |
| | FX-PDF, HBPL (for scanner) | FX-PDF | |
| ADF | - | Standard (35 sheet capacity) | |
| Connectivity | Ethernet (1000BASE-TX / 100 | BASE-TX / 10BASE-T) USB 2.0 | |
| Supported OS | Windows 2000 (Limited Suppo | Windows 2000 (Limited Support), Windows XP (32bit / 64bit), | |
| | Microsoft Windows Server 2003 | Microsoft Windows Server 2003 (32bit / 64bit), Windows Vista | |
| | (32bit / 64bit), Windows 7 (32bit | (32bit / 64bit), Windows 7 (32bit / 64bit), Windows Server 2008 R2 | |
| | (64bit), Windows Server 2008 (32 | bit / 64bit), Mac OS X (10.4 -10.6), | |
| | RedHat Enterprose Linux ES v.4 | RedHat Enterprose Linux ES v.4 & v.5, SUSE Linux Enterprise 10 | |
| Input Paper Size | Standard Feeder and Manual Feeder: A4 SEF, B5 SEF, | | |
| | A5 SEF, Letter SEF, Executive SEF, Folio SEF, Legal SEF, | | |
| | Envelop#10 SEF, Monarch SEF, DL SEF, C5 SEF, | | |
| | Custom size: (W76.2 - 215.9mm x L127 - 355.6mm) | | |
| | Optional Feeder: A4 SEF, B5 SEF, A5 SEF, Letter SEF, Executive SEF, | | |
| | Follio SEF, Legal SEF, Custom size: (W148 - 215.9mm x L210 - | | |
| | 355.6mm) Two-sided Printing: A4 SEF, Letter SEF, Folio SEF, Legal SEF | | |
| Input Paper Weight | Standard Feeder and Manual Feeder: 60 - 216gsm | | |
| | Optional Feeder and Two-sided Printing: 60 - 105gsm | | |
| Media Input Capacity | Standard Feeder: 250 sheets Manual Feeder: 1 sheet | | |
| | Optional Feeder: 250 sheets | | |
| Media Output Capacity | 150 sheets | 150 sheets face-down | |
| Dimensions (WxDxH) | 400 x 460.9 x 436.4mm | 430 x 544.2 x 584.4mm | |
| Weight | 19.8kg | 30kg | |
| Power Supply | 220v -240 | v, 50-60Hz | |
| Power Consumption | Maximum 1100W; | Maximum 1100W; | |
| | Deep sleep: 8W or less; | Deep sleep:18.4W or less; | |
| | Sleep: 15W or less; Standby: 60W | Sleep: 35W or less; Standby: 60W | |
| | Average; Continuous Printing: | Average; Continuous Printing: | |
| | 365W Average; | 410W Average; | |
| | Energy STAR qualified | Energy STAR qualified | |
| Noise Levels | | : 6.8B; 53.5dB (A) | |
| Warranty | One year on-site warranty | | |
| | one year on site warranty | | |

Copy Function

| Copy Speed (A4) | _ | Up to 23 cpm for mono and colour |
|-------------------------|---|----------------------------------|
| Copy Resolution | - | 600 x 600 dpi |
| FCOT | - | 30 secs colour/21 secs mono |
| Reduction / Enlargement | - | 25% - 400% |
| Continuous Copy | - | Up to 99 pages |
| Copy Features | - | 2-in-1 copy, |
| | | ID card copy, Collation |

Descriptions in this material, product specifications and/or appearances are subject to change without prior notice due to improvements. Please note that the product colour appears differently from the actual colour as a result of properties of papers or printing ink. Windows is a registered trademark of Microsoft Corporation. Macintosh, Mac OS and Ether Talk are trademarks of Apple Computer, Inc. Other company names or product names are registered trademarks of trademarks of each company.



For Your Safe Use

Before using the product, read the Instruction Manual carefully for proper use. Use the product with an appropriate adequate power source and voltage displayed. Be sure to establish a ground. In the case of a failure or short circuit, an electric shock may result.

| Scan Function | DocuPrint CP305 d | DocuPrint CM305 df |
|-------------------------|-------------------|--------------------------------|
| Туре | - | Colour Flatbed CCD |
| Original Paper Size | - | Platen: 215.9mm x 297mm |
| | | ADF: 215.9mm x 355.6mm |
| Scan Optical Resolution | - | Up to 1,200 x 1,200 dpi |
| Scan Features | - | Scan to Email, Scan to |
| | | Application (via USB), Scan to |
| | | Network (FTP/SMB), Scan to |
| | | USB Memory |

Fax Function

| Memory Capacity | - | 4MB |
|-------------------------|---|---------------|
| Fax Resolution | - | 400 x 400 dpi |
| Tranmission Speed | - | 33.6kbps |
| One-Touch / Speed dials | - | 8/200 |
| Fax Features | - | PC DirectFAX |

Consumables

| Black Toner (up to 3,000 pages*) | CT201632 |
|------------------------------------|----------|
| Cyan Toner (up to 3,000 pages*) | CT201633 |
| Magenta Toner (up to 3,000 pages*) | CT201634 |
| Yellow Toner (up to 3,000 pages*) | CT201635 |
| Drum (up to 20,000 pages) | CT350876 |
| Fuser Unit (up to 50,000 pages) | EL300822 |

* * Declared yield in accordance with ISO / IEC 19798 / 24712. Yield may vary depending on image, area, coverage and print mode (job length, media size, media type and orientation).

Printer is shipped with one set of starter toner cartridge with average yield of 2,000 pages.

Accessories

| 250-sheet Feeder | EL300769 | EL300821 |
|------------------|----------|----------|
| 512 MB Memory | EL300820 | |



Reproduction Prohibitions Please note that reproduction of the following is prohibited by law. Domestic and overseas bank notes and coins, government-issued securities, national bonds and local bond certificates. Unused postage stamps and post cards. Certificate stamps stipulated by law. The reproduction of works for copyright purposes (literary works, musical works, paintings, engravings, maps, cinematographic works, photographic works, etc.) is prohibited except when they are reproduced personally, at home or within limited range according to the above. This product is equipped with an anti-counterfeit feature. This feature is not intended to prevent illegal reproduction. Be extremely careful about the management of equipment used.



For more information or detailed product specifications, call us:

13 14 12

www.fujixeroxprinters.com.au

XEROX, and the sphere of connectivity design are trademarks or registered trademarks of Xerox Corporation in the U.S. and or other countries. Other trademarks are the property of their respective owners.