

DocuPrint  
CP105 b / CP205 / CP205 w  
CM205 b / CM205 f / CM205 fw



# DocuPrint CP105 b / CP205 / CP205 w DocuPrint CM205 b / CM205 f / CM205 fw Colour S-LED Printer

Print quality so vibrant,  
it captures everyone's attention



# High resolution S-LED (Self-Scanning Light Emitting Diode) technology produces brilliant images



**For small and growing businesses and home-office entrepreneurs who demand high quality colour printing, but may be tight on space, Fuji Xerox now has the perfect solution.**

A technologically superior and highly affordable printer that provides stunning, high-quality colour printouts yet fits right on your desk. This is an entry-level printing solution that is loaded with advanced technology you could previously only get from large and expensive standalone high-end printers.

## Cost and energy saving



Fuji Xerox's award-winning technologies ensure that you enjoy exceptional performance at every level. They also save you money with every page you print and help keep the environment greener. Toner-Save Mode reduces toner usage by up to 30% for further cost savings.

## Reduced energy consumption



**EA (Emulsion Aggregation) -Eco toner** is a newly developed special toner that allows fusing to paper at a much lower temperature. This allows

you to save up to 20% in power consumption and reduce CO<sub>2</sub> emissions by up to 35% as compared to conventional Fuji Xerox toners. That means bigger cost savings for you and a greener planet for us all.

EA-Eco toner is completely oil-free with the sharp-melting characteristics that provide the right gloss even on different types of paper.

Overall, EA-Eco toner reduces power consumption by approximately 40% in glossy mode. Only genuine Fuji Xerox EA-Eco toner offers you this energy saving performance.

### Trouble free and user friendly

With few moving parts, your printer requires very little maintenance and has few replacement needs. The only thing you need to change is the toner cartridge and that just takes a second or two!

### Fast and smart

- Fuji Xerox technology understands the pressures of business and provides reliable and fast printing capability to enhance your workflow.
- High-speed colour printouts at up to 12ppm.
- Huge memory of 64 MB for DocuPrint CP105 b, 128MB for DocuPrint CP205 / CP205 w and DocuPrint CM205 b / CM205 f / CM205 fw lets you handle more jobs faster.

## Award-winning technology

Fuji Xerox has raised the benchmark for high-quality, colour printing with a range of award-winning breakthroughs in printer technology that not only deliver eye-catching results, but are fast and simple to use, easy to maintain and save you money with every print out.

### Quietly brilliant

Fuji Xerox's award-winning **S-LED (Self-Scanning Light Emitting Diode)** and **DELICIS (Digitally-Enhanced Lighting Control Imaging System)** control technology ensure that you get accurate, high-imaging quality at **1200x2400 dpi**. Small and intelligent S-LED chips with fewer moving parts give you an ultra-quiet operation, reduced energy usage, a high level of operational reliability and a sleek compact design.



DocuPrint CP105 b / CP205 / CP205 w / CM205 b / CM205 f / CM205 fw  
Best resolution in its class at 1200 x 2400 dpi



Other brands in its class only offer up to 600 x 600 dpi

### Easy to use



**Intuitive LCD screen** on the DocuPrint CM205 series, providing a large 4-line backlit LCD display.



**Direct scan to USB memory** allows you to store scanned data easily and quickly without the need of a PC.

### Product Overview

**DocuPrint CP105 b**  
- Personal Colour Printer



**DocuPrint CP205**  
- Network Colour Printer



**DocuPrint CP205 w**  
- Wireless Network Colour Printer



## High-speed colour correction

**IReCT (Image Registration Control Technology)** is a newly developed digital image registration control technology that offers ultra high precision of 2,400 dpi colour print out, by which image misalignments will be accurately corrected through a digital process.

## Brilliant highlights

**MACS (Micro Accurate Control Screen)** optimises the shape of screen elements in accordance with the image density of the area. This technology offers reproduction of smooth gradations and beautiful highlights.

## Razor-sharp images

**IE (Image Enhancement) Technology<sup>+</sup>** improves flexibility in the number of screen lines, shapes and angles by scanning in two directions on a finer matrix to give you razor-sharp images, text and graphics.

<sup>+</sup> Applicable to CP105 / CP205 / CP205 w only



**Wireless connectivity<sup>\*</sup>** allows convenient and hassle-free printing.

<sup>\*</sup>Applicable to CP205 w and CM205 fw only

## Benefits

<b>Go Green</b> EA-Eco toner & S-LED	<b>Express Service</b> Within 1-Hour
<b>Best Resolution</b> 1200 x 2400 dpi	<b>Award Winning Technology</b> S-LED & DELCIS
<b>More Savings!</b> Save up to 30% with Toner-Save Mode	<b>Advanced Colour Precision</b> IReCT & MACS

Exceptional printing quality offered at an affordable price

**DocuPrint  
CM205 b**  
- 3-in-1 Personal  
Multifunction  
Colour Printer



**DocuPrint  
CM205 f**  
- 4-in-1 Network  
Multifunction  
Colour Printer



**DocuPrint  
CM205 fw**  
- 4-in-1 Wireless  
Network  
Multifunction  
Colour Printer



# Specifications

Print Function	Model	DocuPrint CP105 b	DocuPrint CP205 / CP205 w	DocuPrint CM205 b	DocuPrint CM205 f / fw
Print Speed (A4 / Letter)		Up to 10ppm Colour; 12ppm Monochrome	Up to 12ppm Colour; 15ppm Monochrome		
Print Resolution		1200 x 2400 dpi (Fuji Xerox Imaging Technology)			
First-page-out Time		29 sec (colour), 24 sec (mono)	27 sec (colour), 22 sec (mono)		
Warm-up Time		25 sec or less		36 sec or less	
Memory (std/max)		64MB	128MB		
Processor		192MHz	384MHz	295MHz	
PDL		Host-based			
Connectivity		Hi-speed USB 2.0	10/100BaseT, Hi-speed USB 2.0	Hi-speed USB 2.0	10/100BaseT, Hi-speed USB 2.0
<b>Wireless Function</b>		<b>Available on DocuPrint CP205 w</b>			<b>Available on DocuPrint CM205 fw</b>
Compliant Standard		–	IEEE802.11b/g/n	–	IEEE802.11b/g
Security Protocol		–	WEP (64-bit/128-bit), WPA-PSK (TKIP, AES), WPA-2PSK (AES)	–	WEP (64-bit/128-bit), WPA-PSK (TKIP, AES), WPA-2PSK (AES)
Certifications		–	Wifi, WPA2.0 (Personal)	–	Wifi, WPA2.0 (Personal)
Wifi Protected Setup (WPS)		–	Push Button Configuration (PBC), Personal Identification Number (PIN)	–	Push Button Configuration (PBC), Personal Identification Number (PIN)
Supported Operating System		Windows XP (32-bit/64-bit), Server 2003 (32-bit/64-bit), Vista (32-bit/64-bit), Server 2008 (32-bit/64-bit), Server 2008R2 (64-bit), 7 (32-bit/64-bit) Mac OS X Version 10.4.11 or later (Power PC 32-bit/Intel 32-bit), 10.5 with the latest update (Power PC 32-bit/64-bit/Intel 32-bit/64-bit) and 10.6 with the latest update (Intel 32-bit/64-bit)			
Input Paper Size Main Tray		A4 SEF, B5 SEF, A5 SEF, Letter SEF, Executive SEF, Folio (8.5" x 13") SEF, Legal SEF, Envelope (Com-10 SEF, Monarch SEF/LEF, DL SEF/LEF, C5 SEF) Custom Size Width 76.2 to 215.9mm Length 127 to 355.6mm*			
Media Input Capacity		150 sheets	150 + 10 sheets		
Media Output Capacity		100 sheets face-down			
Media Types Main Tray		Plain, Plain-thick, Recycled, Labels, Covers, Coated, Envelope, Postcard, Pre-printed paper		Plain, Plain-thick, Recycled, Labels, Covers, Coated, Envelope	
Input Paper Weight Main Tray		60 – 163gsm			
Engine Life		30,000 pages or 5 years			
Print Features		Toner Save Mode, Manual Duplex, Print Cancel (from panel), N-up, Poster, Watermarks, Collate, Image Rotation (180 degrees)			
Dimensions (WxDxH)		394 x 304 x 234 mm		410 x 389 x 318 mm	410 x 389 x 337.5 mm
Weight		11kg	14.3kg	14.95kg	
Operating Environment Temperature		Storage: -20° to 40° C, Operating: 10° to 32° C			
Humidity		Operating Environment: 10% to 85% RH			
Sound Pressure Levels		Standby: 20dB(A), Printing: 47dB(A) mono, 46dB(A) colour	Standby: 21dB(A), Printing: 49dB(A) mono, 48dB(A) colour	Standby: 23dB(A), Printing: 50dB(A) mono, 48dB(A) colour	
Electrical Power		220–240 VAC, 50/60Hz			
Power Consumption		Standby: 66W, Printing: 285W, Power save: 5W; ENERGY STAR® qualified	Standby: 69W, Printing: 340W, Power save: 7W; ENERGY STAR® qualified	Standby: 65W, Printing: 350W, Power save: 7W; ENERGY STAR® qualified	
<b>Copy Function</b>					
Copy Speed		–	–	Up to 12cpm Colour; 15cpm Monochrome	
Copy Resolution		–	–	Up to 600 x 600 dpi	
First-copy-out Time		–	–	40 sec (colour), 24 sec (mono)	
Reduction / Enlargement		–	–	25 – 400%	
Continuous Copy		–	–	1 – 99 pages	
Copy Feature		–	–	ID Card Copy, 2-in-1 Copy, Edge Erase, Collate (Electronic Sort)	
<b>Scan Function</b>					
Type Colour CIS		–	–	Colour CIS	
Scanning Resolution		–	–	1200 x 1200 dpi (Optical); up to 4800 x 4800 dpi (enhanced)*	
Colour Depth		–	–	24-bit	
Document Size		–	–	Flatbed: 215.9 x 297 mm	Flatbed: 215.9 x 297 mm ADF: 215.9 x 355.6 mm
Scan Destinations		–	–	Scan to USB Memory Drive, Scan to Application (PDF/JPEG/TIFF)	
		–	–	–	Scan to Email, Scan to FTP, Scan to SMB (PDF/JPEG/TIFF)
Supported Driver		–	–	TWAIN, WIA	
Bundled Software		–	–	–	Docuworks 7.2

\* For Windows OS only  
^ TWAIN driver only

## Fax Function

Compatibility	-	-	-	ITU-T G3
Communication System	-	-	-	PSTN, PBX (PABX)
Transmission Speed	-	-	-	Up to 33.6 kbps
Memory Capacity	-	-	-	2MB
Fax Resolution	-	-	-	400 x 400 dpi (Max)
One-Touch/Speed Dials	-	-	-	One-Touch: Up to 8 locations/ Speed Dials: Up to 99 locations
Fax Features	-	-	-	PC Direct FAX, Secure FAX Receive, Remote Fax Receive, Junk FAX Filter

Warranty	Please check with your Fuji Xerox Printers reseller for more information			
----------	--	--	--	--

## Consumables

Black toner cartridge (up to 2,000 pages*)	CT201591
Cyan toner cartridge (up to 1,400 pages*)	CT201592
Magenta toner cartridge (up to 1,400 pages*)	CT201593
Yellow toner cartridge (up to 1,400 pages*)	CT201594

\* Average standard pages. Declared Yield in accordance with ISO/IEC 19798 and ISO/IEC 24712. Yield will vary based on image, area coverage and print mode. Printer is shipped with one standard toner yields of 1,000 pages (Black) and 700 pages (Cyan, Magenta, Yellow).

Descriptions in this material, product specifications and/or appearances are subject to change without prior notice due to improvements. Please note that the product colour appears differently from the actual colour as a result of properties of papers or printing ink. Windows and Windows NT are registered trademarks of Microsoft Corporation. Macintosh, Mac OS and Ether Talk are trademarks of Apple Computer, Inc. Other company names or product names are registered trademarks or trademarks of each company.



### For Your Safe Use

Before using the product, read the Instruction Manual carefully for proper use. Use the product with an appropriate adequate power source and voltage displayed. Be sure to establish a ground. In the case of a failure or short circuit, an electric shock may result.

**Reproduction Prohibitions** Please note that reproduction of the following is prohibited by law. Domestic and overseas bank notes and coins, government-issued securities, national bonds and local bond certificates. Unused postage stamps and post cards. Certificate stamps stipulated by law. The reproduction of works for copyright purposes (literary works, musical works, paintings, engravings, maps, cinematographic works, photographic works, etc.) is prohibited except when they are reproduced personally, at home or within limited range according to the above. This product is equipped with an anti-counterfeit feature. This feature is not intended to prevent illegal reproduction. Be extremely careful about the management of equipment used.

For more information or detailed product specifications, please call or email or visit our website at:

**Fuji Xerox Asia Pacific Pte Ltd**

80 Anson Road #27-01

Fuji Xerox Towers Singapore 079907

Tel: +65 6351 0118 Email: [sgp.sales@fujixerox.com](mailto:sgp.sales@fujixerox.com)

<http://www.fujixeroxprinters.com>

